



## CLUB-1TOP

Order No.: 0252490

### PRODUCTINFOS

#### The CLUB System:

Compact full range speaker, subwoofer and amplifier perfectly matched to each other and in combination provide a top-quality performance. Considering the dimensions and price, they are simply fascinating. The devices of the CLUB series provide unique possibilities, whether applied individually or together with other PA products of highest quality.

The perfect central power unit for various PA systems capable of high volumes. Ideally suited for clubs and lounges, trendy bars and restaurants, PA applications in function rooms, music pubs, dancing schools, gyms with exercise rooms, etc. The 3-channel concept of extra high power capability with variable frequency filters and various connecting facilities allows for a variety of different system concepts.

#### Pair of professional PA speaker systems, 2 x 100 W/8 Ω

- 16 cm high-performance bass-midrange speaker with carbon fibre cone
- Waveguide dome tweeter
- Compact design
- NEUTRIK SPEAKON IN/OUT for an easy parallel connection
- High-quality lacquered MDF cabinet, full front grille with acoustic foam
- 6 x M8 threaded insert, 1 x standard stand sleeve

The shape and size of the CLUB-1TOP are designed in such a way that the ambience of the location is still maintained even in larger rooms with a decentralised arrangement of several speakers for acoustic reasons. For driving the system, an amplifier STA-1603CLUB is perfectly suitable at which 1, 2, 4 or even 8 CLUB-1TOP speakers can be operated per mid-high range channel (4 or 8 in corresponding series/parallel circuits). The power capability of the amplifier is quite high when connecting one or two speakers, but the volume capability of the speakers is still almost fully utilised when connecting 8 speakers.

### **discret 02/2011**

“Above all, the CLUB system impresses by a sophisticated concept for a high flexibility, reliability and a solid quality with high level reserves. The system surely provides a high power capability, great features and a good workmanship for its price and the sound is more than adequate for many applications in trendy clubs, bars and restaurants, even applications of high requirements.”

### **tools4music 01/2011**

“The CLUB system from IMG Stage Line impresses by a full bass reproduction and pleasant high frequencies. The CLUB system can perfectly be matched to individual requirements and be extended any time by adding further components. The basic equipment already presents an appealing picture.”

- + Compact size
- + Robust cabinet
- + Two Speakon jacks

### **SOUNDCHECK 10/2010**

“Lightweight top speakers of a compact size with extensive crossover network ... they really put an effort into operational reliability.”

“A nice compact size and unobtrusive appearance. A well-balanced bass reproduction, an appealing midrange and a very enjoyable reproduction of the high frequencies - simply very nice. Offers various possibilities for extension.”

(on the CLUB system)

### **Beat 69, 07-08/2011**

“A multi-purpose system showing high stability and reliability in continuous operation. The small satellites provide an assertively pleasant sound. The subwoofers feature a dynamic and full sound. The CLUB system ensures sophisticated, compact and reliable PA applications of high quality at a fair price.”

### **Manufacturer information:**

MONACOR INTERNATIONAL GmbH & Co. KG  
Konsul-Smidt-Str. 68  
28217 Bremen

Germany  
info@monacor.com

## TECHNICAL SPECIFICATIONS

### CLUB-1TOP

Active/passive	passive
Transmission technology	cable
Total power rating	160 W
Power rating (RMS)	100 W
Impedance	8 $\Omega$
Frequency range	55-21,000 Hz
System	2-way bass-reflex
Bass speaker	16 cm (6.5")
Tweeter	dome tweeter with waveguide
Number of speakers	2
Speaker size	16 cm (6.5")
SPL	90 dB/W/m
Max. rated SPL	110 dB
Radiation angle/beam angle	H: 120°/V: 100°
Radiation angle, horizontal	120°
Radiation angle, vertical	100°
Housing material	MDF
Colour	black
Mounting device	6 x M8 threaded insert, 1 x standard stand sleeve
Admiss. ambient temp.	0-40 °C
Dimensions	210 x 300 x 260 mm
Width	210 mm
Height	300 mm
Depth	260 mm
Weight	6 kg
Inputs	1 x NEUTRIK SPEAKON
Outputs	1 x NEUTRIK SPEAKON
Packaging dimensions (W x H x L)	0.52 x 0.405 x 0.33 m
Gross weight	13.92 kg
Net weight	11.76 kg

**CLUB-1TOP**

EAN code 4007754214352

Net weight 11.76 kg