



AKB-160

Order No.: 0174260

PRODUCTINFOS

PA amplifier module,

with 100 V output.

- 1 x 40 W
- Silent operation due to fanless cooling concept
- Balanced line input (XLR) and unbalanced line input (RCA)
- Speaker output via screw terminal
- Volume control
- Metal housing with mounting brackets

Manufacturer information:

MONACOR INTERNATIONAL GmbH & Co. KG
Konsul-Smidt-Str. 68
28217 Bremen
Germany
info@monacor.com

Safety Notes and Warning Messages

The unit uses dangerous mains voltage. Leave servicing to skilled personnel only and do not insert anything into the air vents. Inexpert handling may result in electric shock.

During operation, there may be a hazard of contact with a dangerous voltage of up to 100 V at the speaker terminals. Always switch off the amplifier before making or changing any connections.

Do not operate the unit and disconnect the mains plug from the socket immediately if the unit or the mains cable is visibly damaged; if a defect might have occurred after the unit was dropped or suffered a similar accident, if malfunctions occur. In any case, the unit must be repaired by skilled personnel.

The unit is suitable for indoor use only. Protect it against dripping water and splash water, high air humidity and heat (admissible ambient temperature range: 0 - 40 °C).

Never pull the mains cable to disconnect the mains plug from the socket, always seize the plug.

The heat generated inside the unit must be dissipated by air circulation; never cover the air vents of the housing.

If the unit is to be put out of operation permanently, take it to a local recycling plant for a disposal which is not harmful to the environment.

TECHNICAL SPECIFICATIONS

AKB-160

Peak output power	60 W
Power rating	40 W
Power rating at 100 V	40 W
Channels	1
Inputs	390 mV/26 kΩ, bal. 420 mV/11 kΩ, unbal.
Frequency range	17-20,000 Hz
S/N ratio	> 80 dB
THD	< 1%
Power supply	~ 230 V/50 Hz/75 VA
Mains voltage	~ 230 V
Mains frequency	50 Hz
Power consumption, operation	75 VA
Admiss. ambient temp.	0-40 °C
Width	213 mm
Height	55 mm
Depth	238 mm
Weight	3.2 kg
Connections	1 x XLR (line) 1 x RCA L/R (line)
Packaging dimensions (W x H x L)	0.29 x 0.11 x 0.305 m

AKB-160

Gross weight 3.6 kg

Net weight 3.23 kg

AKB-160

EAN code 4007754234237

Net weight 3.23 kg