



# SA-130DMP

Order No.: 0257760

## PRODUCTINFOS

### Stereo mixing amplifier, 130 W,

with integrated MP3 player, Bluetooth receiver, FM radio and USB port.

- Bluetooth receiver for wireless connection of laptops, smartphones or tablet PCs
- USB storage media can be connected directly
- For SD/MMC cards up to 64 GB (FAT16/FAT32), not included in the scope of delivery
- Adjustable microphone input and aux input on the front panel
- Adjustable stereo line input
- Insert facility, e.g. for effect units, equalizers, feedback controllers
- 2-way tone control
- Adjustable master output
- 482 mm (19") rack installation, 1 RU

### Manufacturer information:

MONACOR INTERNATIONAL GmbH & Co. KG  
Konsul-Smidt-Str. 68  
28217 Bremen  
Germany  
info@monacor.com

### Warning and Safety Instructions

The device is supplied with dangerous mains voltage. Leave servicing to skilled personnel only and do not insert anything into the air vents. Risk of electric shock!

Do not use this device and disconnect it immediately from the power supply if the device or the power supply cable is visibly damaged, if a defect might have occurred after the device was dropped or suffered a

similar accident, if malfunctions occur. Any repairs must be carried out by specialists.

The product is suitable for indoor use only. Protect it against dripping water, splash water and high air humidity (admissible ambient temperature range is 0 - 40 °C).

Never pull the mains cable to disconnect the mains plug from the socket, always seize the plug.

The heat generated in the device must be dissipated by air circulation. Never cover the air vents of the housing.

If the device is to be put out of operation definitely, dispose of the product in accordance with local regulations.

## TECHNICAL SPECIFICATIONS

### SA-130DMP

Peak output power	130 W
Power rating	130 W
Power rating at 4 Ω	2 x 75 W
Power rating at 8 Ω	2 x 45 W
Channels	2
Inputs	600 mV/30 kΩ (line)
	2 mV/0.5 kΩ (mic)
	370 mV/30 kΩ (aux)
	950 mV/25 kΩ (amp in)
Frequency range	20-20,000 Hz
Equalizer bass	± 10 dB/100 Hz
Equalizer treble	± 10 dB/10 kHz
S/N ratio	≥ 80 dB
Crosstalk attenuation	≥ 45 dB
THD	≤ 0.1%
Power supply	~ 230 V/50 Hz/320 VA
Mains voltage	~ 230 V
Mains frequency	50 Hz
Power consumption, operation	320 VA
Admiss. ambient temp.	0-40 °C
Width	482 mm
Height	44 mm
Depth	245 mm
Rack units, RU	1
Weight	5.62 kg

**SA-130DMP**

Connections	1 x RCA L/R (line), 1 x XLR/6.3 mm jack (mic), 1 x 3.5 mm jack (aux), 1 x RCA L/R (amp in), 1 x RCA L/R (amp out), screw terminals (speakers) with 4 mm banana jack
Packaging dimensions (W x H x L)	0.3 x 0.11 x 0.53 m
Gross weight	6.42 kg
Net weight	5.85 kg

**SA-130DMP**

EAN code	4007754253580
Net weight	5.85 kg