



6W

## WAP-8

Order No.: 1000075

### PRODUCTINFOS

#### Portable voice amplifier

Scope of delivery: 1 electret headband microphone, 1 mini electret microphone, 1 voice amplifier, 2 microphone windshields, 1 line connection cable, 1 plug-in charger and 1 carrying strap, 1 transport bag.

- For general mobile speech applications, e.g. lectures and training sessions, sales events
- Suitable for general applications due to versatile wearing options
- 6 W amplifier with volume control
- Additional line input (3.5 mm jack) for external audio sources, e.g. MP3 players and laptops
- Built-in rech. lithium polymer battery ( DC7.4 V/2000 mAh), with LED status indication, charging of the rechargeable batteries via supplied plug-in charger
- Very long operating time of up to 20 hours with fully charged battery
- Connection cable 801TG with 3.5 mm plug is available at option for certain JTS headband microphones

#### Manufacturer information:

MONACOR INTERNATIONAL GmbH & Co. KG  
Konsul-Smidt-Str. 68  
28217 Bremen  
Germany

info@monacor.com

## Warning and Safety Instructions

The device is supplied with dangerous mains voltage. Leave servicing to skilled personnel only and do not insert anything into the air vents. Risk of electric shock!

Do not use this device and disconnect it immediately from the power supply if the device or the power supply cable is visibly damaged, if a defect might have occurred after the device was dropped or suffered a similar accident, if malfunctions occur. Any repairs must be carried out by specialists.

The product is suitable for indoor use only. Protect it against dripping water, splash water and high air humidity (admissible ambient temperature range is 0 - 40 °C).

Never pull the mains cable to disconnect the mains plug from the socket, always seize the plug.

The heat generated in the device must be dissipated by air circulation. Never cover the air vents of the housing.

If the device is to be put out of operation definitely, dispose of the product in accordance with local regulations.

Never put (rechargeable) batteries in the household waste. Always dispose of the batteries in accordance with local regulations.

## Safety Notes and Warning Messages

The unit uses dangerous mains voltage. Leave servicing to skilled personnel only and do not insert anything into the air vents. Inexpert handling may result in electric shock.

Do not operate the unit and disconnect the mains plug from the socket immediately if the unit or the mains cable is visibly damaged; if a defect might have occurred after the unit was dropped or suffered a similar accident, if malfunctions occur. In any case, the unit must be repaired by skilled personnel.

The unit is suitable for indoor use only. Protect it against dripping water and splash water, high air humidity and heat (admissible ambient temperature range: 0 - 40 °C).

Never pull the mains cable to disconnect the mains plug from the socket, always seize the plug.

If the unit is to be put out of operation permanently, take it to a local recycling plant for a disposal which is not harmful to the environment.

Batteries and rechargeable batteries must not be disposed of with household waste. They must be disposed of in accordance with local regulations for hazardous waste.

## TECHNICAL SPECIFICATIONS

### WAP-8

Rated power ( $P_{RMS}$ )	4 W
Peak output power	6 W
Frequency range	100-10,000 Hz
Inputs	3.5 mm jack
THD	0.3%
Max. SPL	82 dB

**WAP-8**

Power supply	7.4 V rech. lithium polymer battery
Admiss. ambient temp.	0-40 °C
Dimensions	90 x 130 x 30 mm
Weight	288 g
Connections	1 x 3.5 mm jack (mic), 1 x 3.5 mm jack (line)

**WAP-8**

EAN code	4007754275063
Net weight	0.565 kg