



DMP-130MIXBT

Order No.: 1000062

PRODUCTINFOS

MP3 player and microphone line mixer

With this unit combination, it is possible to mix 3 audio signal sources. The integrated MP3 player can be switched between SD card, USB port and Bluetooth receiver.

- USB storage media can be connected directly
- For SD/MMC cards up to 64 GB, not in the scope of delivery
- Autoplay/single play function
- Repeat function
- Supports directoroty
- 5-band equalizer
- Autostart of last source/replay mode/Equalizer setting
- Alphanumeric display
- Repeat function
- 3 input channels with level control (mic, aux/MP3, line)
- Aux input and microphone input via front panel connection
- 2-way tone control and level control for the master output
- Infrared remote control for MP3 player
- Blue backlit LCD
- 482 mm (19") rack installation

Manufacturer information:

MONACOR INTERNATIONAL GmbH & Co. KG
Konsul-Smidt-Str. 68
28217 Bremen
Germany
info@monacor.com

Safety Notes and Warning Messages

The unit uses dangerous mains voltage. Leave servicing to skilled personnel only and do not insert anything into the air vents. Inexpert handling may result in electric shock.

Do not operate the unit and disconnect the mains plug from the socket immediately if the unit or the mains cable is visibly damaged; if a defect might have occurred after the unit was dropped or suffered a similar accident, if malfunctions occur. In any case, the unit must be repaired by skilled personnel.

The unit is suitable for indoor use only. Protect it against dripping water and splash water, high air humidity and heat (admissible ambient temperature range: 0 - 40 °C).

Never pull the mains cable to disconnect the mains plug from the socket, always seize the plug.

If the unit is to be put out of operation permanently, take it to a local recycling plant for a disposal which is not harmful to the environment.

TECHNICAL SPECIFICATIONS

DMP-130MIXBT

Description	MP3 player and microphone line mixer
Media	MP3, USB, SD, MMC
Frequency range	20-20,000 Hz
THD	< 0.1%
Channel separation	> 60 dB
Dynamic range	> 96 dB
S/N ratio	> 70 dB
Output, analogue	1.8 V (XLR, bal.) 890 mV (RCA)
Power supply	~ 230 V/50 Hz/20 VA
Mains voltage	~ 230 V
Mains frequency	50 Hz
Power consumption, operation	20 VA
Admiss. ambient temp.	0-40 °C
Dimensions	482 x 44 x 160 mm, 1 RU
Weight	2.5 kg
Connections	1 x combo 6.3 mm/XLR (mic/line), 1 x 3.5 mm jack (aux in), 1 x RCA L/R (line in), 1 x RCA L/R (line out), 1 x XLR L/R, bal. (output)
Packaging dimensions (W x H x L)	0.243 x 0.11 x 0.545 m
Gross weight	3.3 kg

DMP-130MIXBT

EAN code 4007754274950

Net weight 2.75 kg